



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name LAseal
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name
LA Leif Arvidsson AB
Målaregatan 5
565 33 Mullsjö
Sweden
Tel: + 46 393-36010

E-mail address info@leifarvidsson.se

1.4. Emergency telephone number

Sweden 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word
None

Hazard statements
This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & Dioctyltinbis(acetylacetonate) & 1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- & Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate & N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction
EUH210 - Safety data sheet available on request

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH registration number |
|--|-----------|--------------|-------------|--|------------------------------------|---------------------------|
| Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics | 934-956-3 | RR-100252-4 | 1 - <5 | Asp. Tox. 1 (H304) | | 01-2119827000-58-XXXX |
| Trimethoxyvinylsilane | 220-449-8 | 2768-02-7 | 0.1 - <1 | Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226) | | 01-2119513215-52-XXXX |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine | 217-164-6 | 1760-24-3 | 0.1 - <1 | Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335) | | 01-2119970215-39-XXXX |
| Diocetyl tinbis(acetylacetonate) | 483-270-6 | 54068-28-9 | 0.1 - <1 | STOT SE 2 (H371) Skin Sens. 1 (H317) | Skin Sens. 1 :: C>=5% | 01-0000020199-67-XXXX |
| Titanium dioxide | 236-675-5 | 13463-67-7 | 0.1 - <1 | Carc. 2 (H351i) | | 01-2119489379-17-XXXX |
| 1,2-Ethanediamine, N-[3-(dimethoxymethyl)silyl]propyl]- | 221-336-6 | 3069-29-2 | 0.1 - <1 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) | | 01-2119963926-21-xxxx |
| Silica, amorphous | 231-545-4 | 7631-86-9 | 0.1 - <1 | - | | 01-2119379499-16-XXXX |
| Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | 915-687-0 | 1065336-91-5 | 0.01 - <0.1 | Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | | 01-2119491304-40-XXXX |

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|-----------------------|--|
| General advice | Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand. |
| Inhalation | Remove to fresh air. If symptoms persist, call a doctor. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Skin contact | Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor. |
| Ingestion | Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon dioxide (CO₂). Nitrogen oxides (NO_x).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific use(s)
Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

| Chemical name | European Union | Ireland | United Kingdom |
|---------------------------------------|---|---|---|
| Methyl alcohol 67-56-1 | TWA: 200 ppm TWA: 260 mg/m ³ * | TWA: 200 ppm TWA: 260 mg/m ³ STEL: 600 ppm STEL: 780 mg/m ³ Sk* | TWA: 200 ppm TWA: 266 mg/m ³ STEL: 250 ppm STEL: 333 mg/m ³ Sk* |
| Stearic acid, sodium salt 822-16-2 | - | TWA: 10 mg/m ³ STEL: 30 mg/m ³ | - |

| Chemical name | European Union | Ireland | United Kingdom |
|---------------------------|----------------|---|----------------|
| Methyl alcohol 67-56-1 | - | 15 mg/L (urine - Methanol end of shift) | - |

Derived No Effect Level (DNEL) No information available

SAFETY DATA SHEET

Laseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

| Derived No Effect Level (DNEL) | | | |
|--|----------------|--------------------------------|---------------|
| Trimethoxyvinylsilane (2768-02-7) | | | |
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Systemic health effects Long term | Inhalation | 27,6 mg/m ³ | |
| worker Systemic health effects Long term | Dermal | 3,9 mg/kg bw/d | |

| N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Systemic health effects Long term | Inhalation | 35.5 mg/m ³ | |
| worker Systemic health effects Long term | Dermal | 5 mg/kg bw/d | |

| Diocetyl tinbis(acetylacetonate) (54068-28-9) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Long term Systemic health effects worker | Dermal | 0.07 mg/kg bw/d | |
| Long term Systemic health effects worker | Inhalation | 84 mg/m ³ | |
| Short term Systemic health effects worker | Inhalation | 84 mg/m ³ | |
| Long term Short term Local health effects worker | Inhalation | 0.091 mg/m ³ | |

| Titanium dioxide (13463-67-7) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Local health effects | Inhalation | 10 mg/m ³ | |

| 1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| worker Long term Systemic health effects | Inhalation | 12 mg/m ³ | |
| worker Long term Systemic health effects | Dermal | 1.7 mg/kg bw/d | |

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)

| Derived No Effect Level (DNEL) | | | |
|--|----------------|-------------------------|---------------|
| Trimethoxyvinylsilane (2768-02-7) | | | |
| Type | Exposure route | Derived No Effect Level | Safety factor |

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

| | | (DNEL) | |
|--|------------|------------------------|--|
| Consumer Systemic health effects Long term | Inhalation | 18,9 mg/m ³ | |
| Consumer Systemic health effects Long term | Dermal | 7,8 mg/kg bw/d | |
| Consumer Systemic health effects Long term | Oral | 0,3 mg/kg bw/d | |

| N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Systemic health effects Long term | Oral | 2.5 mg/kg bw/d | |
| Consumer Systemic health effects Long term | Inhalation | 8.7 mg/m ³ | |
| Consumer Systemic health effects Long term | Dermal | 2.5 mg/kg bw/d | |

| Titanium dioxide (13463-67-7) | | | |
|--|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Long term Systemic health effects | Oral | 700 mg/kg bw/d | |

| 1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2) | | | |
|---|----------------|--------------------------------|---------------|
| Type | Exposure route | Derived No Effect Level (DNEL) | Safety factor |
| Consumer Long term Systemic health effects | Inhalation | 2.9 mg/m ³ | |
| Consumer Long term Systemic health effects | Dermal | 0.83 mg/kg bw/d | |
| Consumer Long term Systemic health effects | Oral | 0.83 mg/kg bw/d | |

Predicted No Effect Concentration (PNEC) No information available.

| Predicted No Effect Concentration (PNEC) | |
|---|--|
| Trimethoxyvinylsilane (2768-02-7) | |
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 0.34 mg/l |
| Marine water | 0.034 mg/l |
| Microorganisms in sewage treatment | 110 mg/l |

| N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3) | |
|---|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 0.062 mg/l |
| Marine water | 0.0062 mg/l |
| Sewage treatment plant | 25 mg/l |

| Diocetyl tinbis(acetylacetonate) (54068-28-9) | |
|--|--|
|--|--|

SAFETY DATA SHEET

Laseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

| Environmental compartment | Predicted No Effect Concentration (PNEC) |
|---------------------------|--|
| Freshwater | 26 µg/l |
| Marine water | 2.6 µg/l |
| Freshwater - intermittent | 260 µg/l |
| Sewage treatment plant | 1 mg/l |
| Freshwater sediment | 0.155 mg/kg dry weight |
| Marine sediment | 0.0155 mg/kg dry weight |
| Soil | 0.0158 mg/kg dry weight |

| Titanium dioxide (13463-67-7) | |
|------------------------------------|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Marine water | 0.0184 mg/l |
| Freshwater sediment | 1000 mg/kg |
| Freshwater | 0.184 mg/l |
| Marine sediment | 100 mg/kg |
| Soil | 100 mg/kg |
| Microorganisms in sewage treatment | 100 mg/l |
| Freshwater - intermittent | 0.193 mg/l |

| 1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2) | |
|--|--|
| Environmental compartment | Predicted No Effect Concentration (PNEC) |
| Freshwater | 0.062 mg/l |
| Marine water | 0.006 mg/l |
| Sewage treatment plant | 25 mg/l |
| Freshwater sediment | 0.24 mg/kg dry weight |
| Marine sediment | 0.024 mg/kg dry weight |
| Soil | 0.01 mg/kg dry weight |

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

- Eye/face protection** Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
- Hand protection** Wear suitable gloves. Recommended Use: Neoprene™. Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374
- Skin and body protection** None under normal use conditions.
- Respiratory protection** In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation, especially in confined areas.
- Recommended filter type:** Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------------|------------------------------------|
| Physical state | Solid |
| Appearance | Paste |
| Colour | See section 1 for more information |
| Odour | Characteristic |
| Odour threshold | No information available |

| Property | Values | Remarks • Method |
|--|-------------------|------------------|
| pH | No data available | |
| pH (as aqueous solution) | No data available | |
| Melting point / freezing point | No data available | |
| Initial boiling point and boiling | No data available | |

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

| | |
|--|-----------------------------|
| range | |
| Flash point | No data available |
| Evaporation rate | No data available |
| Flammability | No data available |
| Flammability Limit in Air | |
| Upper flammability or explosive limits | No data available |
| Lower flammability or explosive limits | No data available |
| Vapour pressure | No data available |
| Relative vapour density | No data available |
| Relative density | No data available |
| Water solubility | Product cures with moisture |
| Solubility(ies) | No data available |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Decomposition temperature | No data available |
| Kinematic viscosity | > 21 mm ² /s |
| Dynamic viscosity | No data available |
| Explosive properties | No data available |
| Oxidising properties | No data available |

9.2. Other information

| | |
|-------------------|--------------------------|
| Solid content (%) | No information available |
| VOC Content (%) | |
| Density | 1.17 |

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|------------|------------------------------|
| Reactivity | Product cures with moisture. |
|------------|------------------------------|

10.2. Chemical stability

| | |
|-----------|---------------------------------|
| Stability | Stable under normal conditions. |
|-----------|---------------------------------|

Explosion data

| | |
|----------------------------------|-------|
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge | None. |

10.3. Possibility of hazardous reactions

| | |
|------------------------------------|-------------------------------|
| Possibility of hazardous reactions | None under normal processing. |
|------------------------------------|-------------------------------|

10.4. Conditions to avoid

| | |
|---------------------|--|
| Conditions to avoid | Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition. |
|---------------------|--|

10.5. Incompatible materials

| | |
|------------------------|---|
| Incompatible materials | None known based on information supplied. |
|------------------------|---|

10.6. Hazardous decomposition products

| | |
|-------------------------|--|
| Hazardous decomposition | Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon |
|-------------------------|--|

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

products curing.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

| | |
|---------------------|---|
| Inhalation | Based on available data, the classification criteria are not met. |
| Eye contact | Based on available data, the classification criteria are not met. |
| Skin contact | Based on available data, the classification criteria are not met. May cause sensitisation in susceptible persons. |
| Ingestion | Based on available data, the classification criteria are not met. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 5,682.50 mg/kg

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|---|--|---|
| Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics RR-100252-4 | LD50 > 5000 mg/kg (Rattus) OECD 401 | LD50 > 3160 mg/kg (Oryctolagus cuniculus) OECD 402 | LC50 Inhalation(4h) >5266 MG/M3 (Rattus) |
| Trimethoxyvinylsilane 2768-02-7 | LD50 = 7120 -7236 mg/kg (Rattus) OECD 401 | = 3360 µL/kg (Oryctolagus cuniculus) | LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403 |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3 | =2295 mg/kg (Rattus) | >2000 mg/Kg (Rattus) | LC50 4H (Aerosol)1.5 - 2.44 mg/L air |
| Diocetyl tinbis(acetylacetonate) 54068-28-9 | LD50 =2500 mg/kg (Rattus) | LD50 >2000 mg/kg (Rattus) | |
| Titanium dioxide 13463-67-7 | >10000 mg/kg (Rattus) | LD50 > 10000 mg/Kg | >5 mg/l |
| 1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- 3069-29-2 | =200 - 2000 mg/Kg (Rattus) (OECD 401) | >5000 mg/Kg (Oryctolagus cuniculus) (OECD 402) | |
| Silica, amorphous 7631-86-9 | =7900 mg/kg (Rattus) | > 5000 mg/kg (Oryctolagus cuniculus) | >2.2 mg/L (Rattus) 1 h |
| Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate 1065336-91-5 | LD50 = 3230 mg/Kg (Rat) | LD50 >3170 mg/Kg (Rat) | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

| Product Information | | | |
|---------------------------------------|------------|----------------|--|
| Method | Species | Exposure route | Results |
| OECD Test No. 406: Skin Sensitisation | Guinea pig | Dermal | No sensitisation responses were observed |

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

| Chemical name | European Union |
|--------------------------------|----------------|
| Titanium dioxide 13463-67-7 | Carc. 2 |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea | M-Factor | M-Factor (long-term) |
|-----------------------------------|----------------------------|---------------------------|----------------------------|--------------------------|----------|----------------------|
| Hydrocarbons, C15-C20, n-alkanes, | EL50 (72h) >10,000 mg/L | LL50 (96h) > 1028 mg/L | - | LL50 (48h)> 3193 mg/l | | |

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

| | | | | | | |
|--|--|---|---|--|--|--|
| isoalkanes, cyclics, < 0.03% aromatics RR-100252-4 | (Skeletonema costatum) ISO 10253 | (Scophthalmus maximus) OECD 203 | | (Acartia tonsa) | | |
| Trimethoxyvinylsilane 2768-02-7 | EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3 | LC50 (96h) = 191 mg/l (Oncorhynchus mykiss) | - | EC50(48hr) 168.7mg/l (Daphnia magna) | | |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3 | - | LC50 (96H) = 597 mg/L (Danio rerio)Semi-static | - | EC50 (48h) = 81mg/L Daphnia magna Static | | |
| Diocetyl tinbis(acetylacetonate) 54068-28-9 | - | LC50 (96h) = 86 mg/L (Static) | - | EC50 (48h) = 58.6 mg/L (Daphnia magna) | | |
| Titanium dioxide 13463-67-7 | LC50 (96h) > 10000 mg/l (Cyprinodon variegatus) OECD 203 | - | - | - | | |
| Silica, amorphous 7631-86-9 | EC50: = 440mg/L (72h, Pseudokirchneriella subcapitata) | LC50: = 5000mg/L (96h, Brachydanio rerio) | - | EC50: = 7600mg/L (48h, Ceriodaphnia dubia) | | |
| Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate 1065336-91-5 | - | LC50 (96h) = 0.9 mg/L | - | - | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information

Trimethoxyvinylsilane (2768-02-7)

| Method | Exposure time | Value | Results |
|---|---------------|-------|--------------------------------|
| OECD Test No. 301F: Ready Biodegradability: Manometric Respirometry Test (TG 301 F) | 28 days | BOD | 51 % Not readily biodegradable |

Silica, amorphous (7631-86-9)

| Method | Exposure time | Value | Results |
|--------|---------------|-------|---|
| | | | The methods for determining biodegradability are not applicable to inorganic substances |

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient | Bioconcentration factor (BCF) |
|------------------------------------|-----------------------|-------------------------------|
| Trimethoxyvinylsilane 2768-02-7 | 1.1 | - |

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

| | | |
|---|------|---|
| N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3 | -0.3 | - |
|---|------|---|

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

| Chemical name | PBT and vPvB assessment |
|--|--|
| Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics RR-100252-4 | The substance is not PBT / vPvB |
| Trimethoxyvinylsilane 2768-02-7 | The substance is not PBT / vPvB |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3 | The substance is not PBT / vPvB |
| Diocetylbinbis(acetylacetonate) 54068-28-9 | The substance is not PBT / vPvB |
| Titanium dioxide 13463-67-7 | The substance is not PBT / vPvB PBT assessment does not apply |
| 1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- 3069-29-2 | The substance is not PBT / vPvB |
| Silica, amorphous 7631-86-9 | The substance is not PBT / vPvB PBT assessment does not apply |
| Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate 1065336-91-5 | The substance is not PBT / vPvB |

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|--|
| Waste from residues/unused products | Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable. |
| Contaminated packaging | Handle contaminated packages in the same way as the product itself. |
| European Waste Catalogue | 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09 |
| Other information | Waste codes should be assigned by the user based on the application for which the product was used. |

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|---------------------------------|----------------|
| 14.1 UN number or ID number | Not regulated |
| 14.2 Proper Shipping Name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |
| 14.5 Environmental hazards | Not applicable |

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

14.6 Special Provisions None

IMDG

14.1 UN number or ID number Not regulated
14.2 Proper Shipping Name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Marine pollutant NP
14.6 Special Provisions None
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated
14.2 Proper Shipping Name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

| Chemical name | European Export/Import Restrictions per (EC) 689/2008 - Annex Number |
|---------------------------------|--|
| Diocetylbinbis(acetylacetonate) | I.1 |

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

Sweden

SAFETY DATA SHEET

LAseal
Replacing previous: 12-mar-2021

Revision date 12-Mar-2021
Revision Number 1

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H332 - Harmful if inhaled
H335 - May cause respiratory irritation
H371 - May cause damage to organs
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend

| | |
|---------|---|
| TWA | TWA (time-weighted average) |
| STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Ceiling Limit Value |
| * | Skin designation |
| SVHC | Substance(s) of Very High Concern |
| PBT | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals |
| vPvB | Very Persistent and very Bioaccumulative (vPvB) Chemicals |
| STOT RE | Specific target organ toxicity - Repeated exposure |
| STOT SE | Specific target organ toxicity - Single exposure |
| EWC | European Waste Catalogue |

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 12-Mar-2021

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet