

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 12-Mar-2021

Revision Number 1

Replacing previous: 12-mar-2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LAseal

Product Name LAseal Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

LA Leif Arvidsson AB Målaregatan 5 565 33 Mullsjö Sweden

Tel: + 46 393-36010

E-mail address info@leifarvidsson.se

1.4. Emergency telephone number

Sweden 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & Dioctyltinbis(acetylacetonate) & 1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- & Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate & N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction EUH210 - Safety data sheet available on request

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no

Sweden Page 1/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics		RR-100252-4	1 - <5	Asp. Tox. 1 (H304)		01-2119827000- 58-XXXX
Trimethoxyvinylsilane	220-449-8	2768-02-7	0.1 - <1	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)		01-2119513215- 52-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1 - <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)		01-2119970215- 39-XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1 - <1	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-0000020199- 67-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1 - <1	Carc. 2 (H351i)		01-2119489379- 17-XXXX
1,2-Ethanediamine, N-[3-(dimethoxymethylsil yl)propyl]-	221-336-6	3069-29-2	0.1 - <1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)		01-2119963926- 21-xxxx
Silica, amorphous	231-545-4	7631-86-9	0.1 - <1	-		01-2119379499- 16-XXXX
Reaction mass of Bis(1,2,2,6,6-pentameth yl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	915-687-0	1065336-91- 5	0.01 - <0.1	Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		01-2119491304- 40-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

Sweden Page 2/14

Revision date 12-Mar-2021 LAseal Replacing previous: 12-mar-2021 **Revision Number 1**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by Ingestion

mouth to an unconscious person. Small amounts of toxic methanol are released by

hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Sweden Page 3/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containmentDo not scatter spilled material with high pressure water streams.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 600 ppm	STEL: 250 ppm
		STEL: 780 mg/m ³	STEL: 333 mg/m ³
		Sk*	Sk*
Stearic acid, sodium salt	-	TWA: 10 mg/m ³	-
822-16-2		STEL: 30 mg/m ³	

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Sweden Page 4/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

Derived No Effect Level (DN	EL)		
Trimethoxyvinylsilane (2768	-02-7)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects Long term	Inhalation	27,6 mg/m³	
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d	
N-(3-(trimethoxysilyl)nronyl)	ethylenediamine (1760-24-3		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects Long term	Inhalation	35.5 mg/m³	
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d	

Dioctyltinbis(acetylacetonate) (54068-28-9)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Long term Systemic health effects worker	Dermal	0.07 mg/kg bw/d			
Long term Systemic health effects worker	Inhalation	84 mg/m³			
Short term Systemic health effects worker	Inhalation	84 mg/m³			
Long term Short term Local health effects worker	Inhalation	0.091 mg/m³			

Titanium dioxide (13463-67-7)						
Type	Exposure route	Derived No Effect Level	Safety factor			
		(DNEL)				
worker	Inhalation	10 mg/m ³				
Long term						
Local health effects						

1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2)					
Туре		Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	12 mg/m³			
worker Long term Systemic health effects	Dermal	1.7 mg/kg bw/d			

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)

Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768-02-7)						
Туре	Exposure route	Derived No Effect Level	Safety factor			

Sweden Page 5/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

		(DNEL)	
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d			
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m³			
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d			

Titanium dioxide (13463-67-7)						
Туре		Derived No Effect Level (DNEL)	Safety factor			
Consumer	Oral	700 mg/kg bw/d				
Long term Systemic health effects						

1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2)					
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m³			
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d			
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d			

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.062 mg/l			
Marine water	0.0062 mg/l			
Sewage treatment plant	25 mg/l			

Dioctyltinbis(acetylacetonate) (54068-28-9)

Sweden Page 6/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	26 μg/l
Marine water	2.6 μg/l
Freshwater - intermittent	260 μg/l
Sewage treatment plant	1 mg/l
Freshwater sediment	0.155 mg/kg dry weight
Marine sediment	0.0155 mg/kg dry weight
Soil	0.0158 mg/kg dry weight

Titanium dioxide (13463-67-7)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Marine water	0.0184 mg/l			
Freshwater sediment	1000 mg/kg			
Freshwater	0.184 mg/l			
Marine sediment	100 mg/kg			
Soil	100 mg/kg			
Microorganisms in sewage treatment	100 mg/l			
Freshwater - intermittent	0.193 mg/l			

1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.062 mg/l			
Marine water	0.006 mg/l			
Sewage treatment plant	25 mg/l			
Freshwater sediment	0.24 mg/kg dry weight			
Marine sediment	0.024 mg/kg dry weight			
Soil	0.01 mg/kg dry weight			

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection Respiratory protection

None under normal use conditions.

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Paste

Colour See section 1 for more information

Odour Characteristic

Odour threshold No information available

Property Values Remarks • Method

pH No data available
pH (as aqueous solution)
Melting point / freezing point
Initial boiling point and boiling
No data available
No data available

Sweden Page 7/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

range

Flash point

Evaporation rate

Flammability

No data available
No data available
No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableRelative vapour densityNo data availableRelative densityNo data available

Water solubility Product cures with moisture

Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available **Decomposition temperature** No data available > 21 mm²/s Kinematic viscosity No data available Dynamic viscosity **Explosive properties** No data available **Oxidising properties** No data available

9.2. Other information

Solid content (%) No information available

VOC Content (%)

Density 1.17

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

Sweden Page 8/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

products curing.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation

in susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 5,682.50 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics RR-100252-4	LD50 > 5000 mg/kg (Rattus) OECD 401	LD50 > 3160 mg/kg (Oryctolagus cuniculus) OECD 402	LC50 Inhalation(4h) >5266 MG/M3 (Rattus)
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3360 µL/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
N-(3-(trimethoxysilyl)propyl)eth ylenediamine 1760-24-3	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Dioctyltinbis(acetylacetonate) 54068-28-9	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)pro pyl]- 3069-29-2	=200 - 2000 mg/Kg (Rattus) (OECD 401)	>5000 mg/Kg (Oryctolagus cuniculus) (OECD 402)	
Silica, amorphous 7631-86-9	=7900 mg/kg (Rattus)	> 5000 mg/kg (Oryctolagus cuniculus)	>2.2 mg/L (Rattus) 1 h
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-pi peridyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperi dyl sebacate 1065336-91-5	LD50 = 3230 mg/Kg (Rat)	LD50 >3170 mg/Kg (Rat)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sweden Page 9/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No

classification is proposed, based on conclusive negative data. May cause sensitisation in

susceptible persons.

Product Information					
Method Species Exposure route Results					
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses		
Sensitisation			were observed		

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide	Carc. 2
13463-67-7	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity .

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants	microorganisms			(long-term)	
Hydrocarbons,	EL50 (72h)	LL50 (96h) >	-	LL50 (48h)>		
C15-C20, n-alkanes,	>10,000 mg/L	1028 mg/L		3193 mg/l		

Sweden Page 10/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

isoalkanes, cyclics, < 0.03% aromatics RR-100252-4	(Skeletonema costatum) ISO 10253	(Scophthalmus maximus) OECD 203		(Acartia tonsa)	
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	•	EC50(48hr) 168.7mg/l (Daphnia magna)	
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine 1760-24-3		LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static	
Dioctyltinbis(acetylacet onate) 54068-28-9		LC50 (96h) =86 mg/L (Static)	-	EC50 (48h) =58.6 mg/L (Daphnia magna)	
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	•	•	-	
Silica, amorphous 7631-86-9	EC50: =440mg/L (72h, Pseudokirchneri ella subcapitata)	LC50: =5000mg/L (96h, Brachydanio rerio)	-	EC50: =7600mg/L (48h, Ceriodaphnia dubia)	
Reaction mass of Bis(1,2,2,6,6-pentamet hyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl- 4-piperidyl sebacate 1065336-91-5	-	LC50 (96h) =0.9 mg/L	-	-	

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information						
Trimethoxyvinylsilane (2768-02-7)						
Method	Method Exposure time Value Results					
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily			
Biodegradability: Manometric			biodegradable			
Respirometry Test (TG 301 F)			-			

Silica, amorphous (7631-86-9)					
Method Exposure time Value Results					
			The methods for determining		
			biodegradability are not		
			applicable to inorganic		
			substances		

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane 2768-02-7	1.1	-

Sweden Page 11/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 **Revision Number** 1

N-(3-(trimethoxysilyl)propyl)ethylenediami -0.3

1760-24-3

12.4. Mobility in soil

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03%	The substance is not PBT / vPvB
aromatics	
RR-100252-4	
Trimethoxyvinylsilane	The substance is not PBT / vPvB
2768-02-7	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB
1760-24-3	
Dioctyltinbis(acetylacetonate)	The substance is not PBT / vPvB
54068-28-9	
Titanium dioxide	The substance is not PBT / vPvB
13463-67-7	PBT assessment does not apply
1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]-	The substance is not PBT / vPvB
3069-29-2	
Silica, amorphous	The substance is not PBT / vPvB
7631-86-9	PBT assessment does not apply
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB
and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	
1065336-91-5	

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international

regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

Sweden Page 12/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

14.6 Special Provisions None

IMDG

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Dioctyltinbis(acetylacetonate)	l.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

Sweden Page 13/14

LAseal Revision date 12-Mar-2021 Replacing previous: 12-mar-2021 Revision Number 1

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation H371 - May cause damage to organs

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 12-Mar-2021

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Sweden Page 14/14